

Smulderz

The Dutch Heritage Since 1997



**SOME HORSES
HAVE ALL THE LUCK !!**

12 edition

- 03** About US
- 05** Our Production
- 07** Internal Stables
- 55** Partition Walls
- 59** Outdoor Stables
- 63** American Barns
- 67** Windows
- 73** Doors
- 77** Barn Doors
- 85** Horse Solariums
- 89** Accessories
- 91** Horse Walkers
And Roofings

With over twenty-five years' experience in the industry, we are capable of producing high-quality products for the equine market at very competitive prices.



About us

The Dutch Heritage Since 1997



NL

Smulders staat al vijfentwintig twintig jaar garant voor hoogwaardige producten voor de paardenmarkt. Alles wordt in eigen huis ontwikkeld en geproduceerd en dit doen we voor een zeer concurrerende prijs.

GB

With over twenty five years' experience in the industry, we are capable of producing high quality products for the equine market at very competitive prices.

ES

Con más de 25 años de experiencia en la industria, somos capaces de fabricar productos de gran calidad para el mercado equino a precios muy competitivos.



"It will always be possible to build a better stable"

Edzeck Smulders



Where dreams become reality...

We have our own in-house technical and creative department with all of the latest computer-aided drawing technologies.

Smulder2
SOME **HORSES** HAVE ALL THE LUCK !!
The Dutch Heritage Since 1997



Our second production facility opened in 2019



Our production operatives are well qualified and experienced in steel fabrication both mild and stainless.



THE VERY POPULAR SERIES

Sport-Line



NL


Deze erg populaire serie wordt al jaren goed ontvangen zowel bij particulieren als bij professionals.

GB

This very popular series is well received by both private individuals and professionals and is our most competitively priced range.

ES

Estas populares series son bien recibidas tanto por particulares como profesionales, siendo nuestra gama más económica y competitiva.



galvanised, plastic boards, small window in door



Galvanised



Plastic boards (brown)



galvanised, bamboo boards, one horizontal board, small window in door



Galvanised



Bamboo boards

some key features:

- doorway without threshold;
- profile 50x50 mm;
- tube 22 mm;
- very strong rail profile 55x65 mm;
- board thickness 32 mm;
- board height 1200 mm.



galvanised, plastic boards, small window in door



Galvanised



Plastic boards (brown)



galvanised, plastic boards, small window in door



Galvanised



Plastic boards (brown)



Sport-Line

galvanised, plastic boards, small window in door



galvanised, plastic boards, small window in door



galvanised, bambo boards, one horizontal board, anti-weave grill (yoke)

Standard version

- galvanised
- sliding door
- boards type: plastic
- boards height: 1200 mm

Plastic boards



Some additional options

- powder coated
- bamboo/OKAN/oak boards
- small window in door

Natural boards



Professional-Series

galvanised, plastic boards,
small window in the door



Galvanised



Plastic boards (black)

THE SERIES SUITABLE FOR ALL HORSES

Professional Series



NL

Vanaf 2016 voorzien van ons nieuwe opd. profiel met een ronde bovenzijde voor extra uitstraling van uw stal.

GB

Improved in 2016 with our new, very attractive, rounded channel section. This range is suitable for all horses, providing a safe and functional environment.

ES

Mejorada en 2016 con nuestra nueva y atractiva sección redondeada. Esta gama es adecuada para todo tipo de caballos, procurando un entorno seguro y funcional.



1
galvanised, plastic boards, small window in door

● Galvanised ● Plastic boards (brown)



2
galvanised, plastic boards, one horizontal board, small window in door, swing front

● Galvanised ● Plastic boards (black)

some key features:

- doorway without threshold;
- profile 60x60 mm / 60x40 mm;
- tube 26,9 mm;
- very strong rail profile 55x65 mm;
- board thickness 32 mm;
- board height 1300 mm.




3
powder coated, bamboo boards, one horizontal board, cross in door, arched and swing front

● RAL 7016 ● Bamboo boards



4
powder coated, bamboo boards, one horizontal board, cross in door, stainless steel tubes, ventilation tubes

● RAL 7016 ● Bamboo boards



1

Professional-Series

galvanised, plastic boards, small window in door



2

powder coated, galvanised tubes, bamboo boards,
small window in door



3

galvanised, bamboo boards, small window in door

Standard version

- galvanised
- sliding door
- boards type: plastic
- boards height: 1300 mm

Plastic boards



brown


black

grey

beige

brick red

green



Some additional options

- powder coated
- bamboo/OKAN/oak boards
- one horizontal board
- small window in door

Natural boards



varnished bamboo

oiled bamboo

natural oak

stained oak



Professional-Series

arched fronts, powder coated, one horizontal board, bamboo boards, ventilation slots, stainless steel tubes

 Old Silver

 Bamboo boards

Young-Horses

galvanised, bamboo boards, feeding window in door, one horizontal board



Galvanised



Bamboo boards



FOR FOALS AND YOUNG HORSES

Young horses

NL

Variabele eetopeningen dmv. een inzet-spijl van 48 mm zo kan de breedte van de eetopeningen aangepast worden aan het paard. Met deze optie kan de veiligheid voor het paard nog meer vergroot worden.

GB

This European feeding front has adjustable width head spaces to accommodate all breeds. This provides additional safety.

ES

Este frontal para acceso a alimentación, tiene anchos de cabeza ajustables para acomodar a cualquier raza, proporcionando una seguridad adicional.



galvanised, plastic boards, feeding window in door, sliding door, swing front

Galvanised Plastic boards (black)



galvanised, plastic boards, hinged doors

Galvanised Plastic boards (brown)



galvanised, plastic boards, hinged doors

Galvanised Plastic boards (brown)



galvanised, plastic boards, fixed front

Galvanised Plastic boards (brown)



galvanised, bamboo boards, hinged doors

Galvanised Bamboo boards



powder coated, bamboo boards, one horizontal board, feeding window in door

RAL 9005 Bamboo boards

A SERIES OF WAVE TYPE STABLES

Royal Wave

NL

Het senior model uit onze reeks van "Waves" een wand met een Koninklijke uitstraling. Vanaf 2016 voorzien van ons nieuwe opd. profiel met een ronde bovenzijde voor extra uitstraling van uw stal.
Plank dikte **32 mm** / Plankhoogte **1300 mm**.

GB

The oldest in our range of low fronted stables, with a regal look. Since 2016 we have produced this range with our new rounded channel to give an even more attractive appearance. Board thickness **32 mm** / Board height **1300 mm**.

ES

El más antiguo de nuestros frontales bajos, con un look majestuoso. Desde 2016 producimos este frontal con nuestro nuevo acabado de perfiles redondeado que le confieren una apariencia aún más atractiva. Grosor de las tablas **32 mm** / Altura de las tablas **1300 mm**.



1 powder coated, bamboo boards, two horizontal boards, cross in door

● RAL 9005 ● Bamboo boards



2 powder coated, bamboo boards, one horizontal board

● RAL 9005 ● Bamboo boards



3 powder coated, bamboo boards, one horizontal board, Shimon Hay Bucket

● RAL 7016 ● Bamboo boards



4 powder coated, bamboo boards, one horizontal board

● RAL 9005 ● Bamboo boards



5 powder coated, bamboo boards, one horizontal board, cross in door, swivel feeder

● RAL 9005 ● Bamboo boards



6 galvanised, bamboo boards, one horizontal board

● Galvanised ● Bamboo boards



1

Royal-Wave

powder coated, bamboo boards, Shimon hay bucket, ornamental balls, one horizontal board



2

powder coated, one horizontal board, bamboo boards




3

galvanised, bamboo boards, one horizontal board

Standard version

- galvanised
- hinged door
- boards type: plastic
- one horizontal board
- boards height: 1300 mm

Plastic boards



brown

black

grey

beige

brick red

green



Some additional options

- powder coated
- bamboo/OKAN/oak boards
- two horizontal boards
- ornamental disc
- cross in door

Natural boards



varnished bamboo

oiled bamboo

natural oak

stained oak



Classic-Wave

powder coated, bamboo boards, one horizontal board, ventilation slots

● RAL 6009

● Bamboo boards



A SERIES OF WAVE TYPE STABLES

Classic Wave

NL

Een rond gewalste Wave, stijlvol en klassiek.
Vanaf 2016 voorzien van ons nieuwe opd. profiel met een ronde bovenzijde voor extra uitstraling van uw stal.
Plank dikte **32 mm** / Plankhoogte **1300 mm**.

GB

Another of our 'Wave' range.
The lines of this design create a stylish and classic look. Since 2016 we have produced this range with our new rounded channel to give a more attractive appearance.
Board thickness **32 mm** / Board height **1300 mm**.

ES

Otro de nuestros modelos "Ondulados".
Las líneas de este diseño ofrecen un look clásico y con estilo. Desde 2016 producimos este modelo con nuestro acabado de perfiles redondeados que le confieren una apariencia aún más atractiva.
Grosor de las tablas **32 mm** / Altura de las tablas **1300 mm**.



1 powder coated, bamboo boards, one horizontal board, cross in door, stainless steel tubes

● RAL 9005 ● Bamboo boards



2 powder coated, bamboo boards, one horizontal boards, stainless steel tubes, Shimon Hay Bucket

● RAL 7016 ● Bamboo boards



3 galvanised, bamboo boards, one horizontal board

● Galvanised ● Bamboo boards



4 galvanised, bamboo boards, two horizontal boards, ventilation slots

● Galvanised ● Bamboo boards



5 powder coated, bamboo boards, two horizontal boards, stainless steel tubes, ventilation slots, cross in door

● Old Silver ● Bamboo boards



Classic-Wave

powder coated, bamboo boards, one horizontal board, ornamental balls



powder coated, bamboo boards, ornamental plates,
one horizontal board, cross in door




powder coated, bamboo boards, ornamental plates,
one horizontal boards, Shimon hay bucket

Standard version

- galvanised
- hinged door
- boards type: plastic
- one horizontal board
- boards height: 1300 mm


Plastic boards




Some additional options

- powder coated
- bamboo/OKAN/oak boards
- two horizontal boards
- ornamental plates
- ventilation slots
- stainless steel tubes

Natural boards





The New Loxley

powder coated, bamboo boards, small window in door, one horizontal board

● RAL 9005

● Bamboo boards

A SERIES OF WAVE TYPE STABLES

Swing Wave

NL

Het nieuwste model uit onze reeks van "Waves" een wand met een Keizerlijk uitstraling. Vanaf 2016 voorzien van ons nieuwe opd. profiel met een ronde bovenzijde voor extra uitstraling van uw stal. Uniek concept een open luxe wand die ook volledig opendraaibaar is.
Plank dikte **32 mm** / Plankhoogte **1300 mm**.

GB

The most recent in our 'Wave' range. The Swing Wave offers an interesting alternative look. Since 2016 we have produced this range with our new rounded channel to give an even more attractive appearance.
Board thickness **32 mm** / Board height **1300 mm**.

ES

El modelo más reciente de nuestra gama "Ondulada". El Swing Wave ofrece un look interesante y alternativo. Desde 2016 producimos este modelo con nuestro acabado de perfiles redondeados que le confieren una apariencia aún más atractiva.
Grosor de las tablas **32 mm** / Altura de las tablas **1300 mm**.



powder coated, bamboo boards, stainless steel tubes, cross in door, two horizontal boards

● Old Silver ● Bamboo boards




powder coated, bamboo boards, stainless steel tubes, one horizontal board, ornamental balls

● RAL 7016 ● Bamboo boards

options:

- stainless steel tubes;
- extra horizontal board;
- bamboo boards;
- stainless steel hinges;
- powder coated;
- bamboo cross in the door;
- ornamental ball or plate.




powder coated, plastic boards, ornamental plates/balls, one horizontal board, stable cabinet

● RAL 9005 ● Plastic boards (grey)



powder coated, bamboo boards, swivel feeder, one horizontal board, ventilation slots

● RAL 7016 ● Bamboo boards



Windsor & Young Horses

galvanised, bamboo boards

- Galvanised
- Bamboo boards

”Great things are done by a series of small things brought together.”

Windsor

Windsor is the most popular in our range of luxury stable fronts. A true classic. This front can be customized to suit your specific requirements.



Stables Windsor

NL

De bestseller uit onze reeks van luxe wanden. Een echte klassieker. Een wand die geheel naar eigen wens kan worden samengesteld. Vanaf 2016 voorzien van ons nieuwe opd. profiel met een ronde bovenzijde voor extra uitstraling van uw stal. Plank dikte **32 mm** / Plankhoogte **1300 mm**.

GB

The Windsor is the most popular in our range of luxury stable fronts. A true classic. This front can be customized to suit your specific requirements. Board thickness **32 mm** / Board height **1300 mm**.

ES

El Windsor es el modelo más popular de nuestro rango de frontales de lujo. Un verdadero clásico. Este frontal puede adaptarse para satisfacer sus requisitos específicos. Grosor de las tablas **32 mm** / Altura de las tablas **1300 mm**.



powder coated, oak boards, one horizontal board, cross in door, swivel feeder

● RAL 9005 ● Oak boards



powder coated, bamboo boards, two horizontal boards, stainless steel tubes, ornamental balls

● RAL 9005 ● Bamboo boards




powder coated, bamboo boards, one horizontal board, ornamental balls

● RAL 9005 ● Bamboo boards



stainless steel, bamboo boards, one horizontal board, ornamental balls

● Stainless steel ● Bamboo boards



stainless steel, bamboo boards, one horizontal board, ornamental balls

● Stainless steel ● Bamboo boards



1

Windsor

powder coated, bamboo boards, cross in door, two horizontal boards, ornamental balls, stainless steel tubes



2

powder coated, bambo boards, one horizontal board, stainless steel tubes, ornamental balls




3

galvanised, small window in door, plastic boards, one horizontal board

Standard version

- galvanised
- hinged door
- boards type: plastic
- one horizontal board
- boards height: 1300 mm

Plastic boards



Some additional options

- powder coated
- bamboo/OKAN/oak boards
- two horizontal boards
- ornamental balls
- small window in door
- stainless steel tubes

Natural boards




Windsor

bamboo boards, one horizontal board,
cross in door, ornamental balls

 Stainless steel

 Bamboo boards



COMPLETELY CONSTRUCTED FROM STAINLESS STEEL



Grand Prestige

powder coated, oak boards, cross in door,
ornamental balls

● RAL 9005

● Oak boards

A STYLE THAT REFLECTS THE PAST

Grand Prestige

*"We have been making
this range since 2015"*

NL



Een wand die het verleden doet herleven, echter wel met het hedendaagse comfort.
Plank dikte **32 mm** tot **52 mm** / Plankhoogte **1300 mm**.

GB

A style which reflects the past brought up to date with high quality modern materials.
Board thickness **32 mm** to **52 mm** / Board height **1300 mm**.

ES

Un estilo que refleja la belleza del pasado traído al presente con materiales modernos de calidad superior.
Grosor de las tablas **32 mm** a **52 mm** / Altura de las tablas **1300 mm**.





1

Grand Prestige

powder coated, oak boards, cross in door, ornamental balls, small window in door



2

powder coated, oak boards, cross in door, small window in door, ornamental balls



3

powder coated, oak boards, cross in door, small window in door, ornamental balls

Specification


- powder coating
- hinged door
- boards height: 1300 mm

- oak boards
- ornamental balls
- cross in the door

Natural boards



natural oak



stained oak




Cantenbury

powder coated, bamboo boards, two horizontal boards, ventilation tubes

● RAL 7021





● Bamboo boards



A photograph of a horse stable stall. The stall features a wooden partition wall with a dark metal frame. A metal water trough is mounted on the wall. The floor is covered with straw bedding. The ceiling has exposed wooden beams and a string of lights.

Partition walls

We offer a great selection of partition walls for horses. Partition walls with a full grille top, partition walls with a 2/3 grille and privacy panel and solid stall partition walls.



Standard version

- galvanised
- boards type: plastic
- boards height:
 - 1200 mm - Sport-Line
 - 1300 mm - Professional-Series

Plastic boards



Some additional options

- powder coated
- bamboo/OKAN/oak boards
- Inox tubes

Natural boards



AN ALTERNATIVE SOLUTION FOR TRADITIONAL STABLES

Outdoor stables

Onze buitenboxen zijn leverbaar in vele verschillende soorten en maten.

- NL
- Zadeldak.
 - Lessenaarsdak.
 - Kunststof / Bamboe.
 - Alleen verzinkt of verzinkt en gecoat.

Our outdoor stables are available in many different types and sizes.

- GB
- Apex roof.
 - Pent roof.
 - Plastic / Bamboo.
 - Only galvanized or galvanized and powder coated.

Nuestros Boxes de exterior están disponibles en distintos estilos y medidas.

- ES
- A un agua.
 - A dos aguas.
 - Plástico / Bambú / Madera Tropical.
 - Solo galvanizado o galvanizado + pintado al. horno.



double-pitched roof, powder coated, bamboo boards, one horizontal board, double door with safety glass

● RAL 6009 ● Bamboo boards



double-pitched roof, powder coated, bamboo boards, one horizontal board, double door with safety glass

● RAL 6009 ● Bamboo boards



fully boarded double door, galvanised, plastic boards, two horizontal boards

● Galvanised ● Plastic boards (brown)



double-pitched roof, galvanised, plastic boards, two horizontal boards, fully boarded double door

● Galvanised ● Plastic boards (brown)



single-pitched roof, galvanised, plastic boards, hinged door, small window in door

● Galvanised ● Plastic boards (brown)



powder coated, bamboo boards, one horizontal board, small window in the door


● RAL 6009 ● Bamboo boards





Single-pitched roof

- galvanised or powder coated
- hinged door or sliding door
- boards type: plastic, bamboo, OKAN, oak

Plastic boards



Natural boards





Double-pitched roof

- galvanised or powder coated
- hinged door or sliding door
- boards type: plastic, bamboo, OKAN, oak

Plastic boards



Natural boards



AN ALTERNATIVE SOLUTION FOR TRADITIONAL STABLES

American barns

NL

Ook het complete gebouw incl. binnenboxen kan door ons verzorgd worden. **Belangrijk:** montage op een betonnen vloer / fundament dat **minimaal** afloopt naar buiten. Wanneer u voor het aanleggen van de betonnen vloer / fundament contact met ons opneemt zorgen wij voor het fundament-plan.

GB

We can supply the entire building, complete with internal stables. All you need to do is provide a concrete foundation and floor to the specifications on our floor plan.

ES

Podemos suministrar el edificio completo, incluyendo todos los boxes de interior, o libre y diáfano para otros usos. Todo lo que necesita es una base de hormigón llana siguiendo las especificaciones de nuestro plano de planta.



galvanised, plastic boards, sliding barn doors, double door with safety glass, Professional-Series fronts

Galvanised Plastic boards (brown)



Professional-Series fronts, galvanised, plastic boards

Galvanised Plastic boards (brown)



New: Free span IPE beam construction

Galvanised Plastic boards (brown)



galvanised, plastic boards, hinged barn door

Galvanised Plastic boards (brown)



galvanised, plastic boards, sliding barn door

Galvanised Plastic boards (grey, red)



galvanised, plastic boards, sliding barn door

Galvanised Plastic boards (grey, red)

American barns




Specification

- galvanised or powder coated
- hinged or sliding barn door
- boards type: plastic, bamboo, OKAN, oak

Plastic boards



Natural boards



Windows

powder coated, turn, powder coated
protection grill

● RAL 9005



OUR ATTENTION TO DETAIL MAKES THE DIFFERENCE

Windows

Het kleine detail maakt het verschil!

NL

- Kozijnen met afgeronde hoeken.
- RVS sluitknop.
- Standaard veiligheidsglas 3/0,5/3.
- Bij gecoate ramen RVS scharnieren.

Our attention to detail makes the difference!

GB

- Frames without sharp edges.
- Lockable stainless steel doorknob.
- Standard safety glass 3/0,5/3.
- Coated windows with stainless steel hinges.

Nuestro cuidado y atención por los detalles marca la diferencia!

ES

- Marcos sin cantos vivos.
- Manetas con cierre en acero inoxidable.
- Cristales de seguridad estándar 3/0,5/3.
- Ventanas pintadas al horno con bisagras en acero inoxidable.



STRAIGHT WINDOW WITH SAFETY GLASS: powder coated, turn, galvanised protection grill

● RAL 9005



STRAIGHT WINDOW WITH SAFETY GLASS: powder coated, turn, powder coated protection grill

● RAL 9005



ARCHED FULLY BOARDED WINDOWS: powder coated, bamboo boards

● RAL 9005 ● Bamboo boards



ARCHED WINDOWS WITH SAFETY GLASS: powder coated, powder coated protection grill, turn&tilt

● Old Copper



STRAIGHT WINDOW WITH SAFETY GLASS: powder coated, turn&tilt, powder coated protection grill, patent lock

● RAL 7016



STRAIGHT WINDOWS WITH SAFETY GLASS: galvanised, turn, grill for glass protection

● Galvanised



1

STRAIGHT FULLY BOARDED WINDOWS AND WITH SAFETY GLASS

galvanised, turn, bamboo boards



2

WINDOWS WITH SAFETY GLASS (1000x2000 mm)

powder coated, turn&tilt, galvanised grill for glass protection



3


STRAIGHT WINDOWS WITH SAFETY GLASS

powder coated, patent lock, powder coating grill for glass protection, turn&tilt

Standard version

- galvanised
- width: 1000 mm
- height: 1000 mm
- boards type: plastic
- safety glass: 3/0,5/3 mm
- turn window

Plastic boards



Some additional options

- powder coated
- bamboo/OKAN/oak boards
- cross in window
- tilt window

Natural boards



OUR ATTENTION TO DETAIL MAKES THE DIFFERENCE

Doors

Ook bij de deuren gaat het om het detail, het is het kleine detail dat de deur maakt!

- Kozijnen met afgeronde hoeken.
- RVS sluitknop, RVS twee-vinger slot, ook te openen van binnen.
- Standaard veiligheidsglas 3/0,5/3.
- Bij gecoate ramen RVS scharnieren.

Again, it is our attention to detail which makes all the difference to our comprehensive range of doors.

- All around the frame there are no sharp edges as the angle frame is rounded.
- Lockable stainless steel doorknob.
- Stainless steel two-finger lock which can be opened from the inside or out.
- Standard safety glass 3/0.5/3.
- Coated windows with stainless steel hinges.

De nuevo, es nuestra atención a los detalles es lo que marca la diferencia en todo nuestro amplio abanico de puertas.

- Sin cantos vivos en todo el marco de la puerta, gracias a los perfiles edondeados.
- Manetas con cierre en acero inoxidable.
- Cierre de dedo en acero inoxidable con apertura interior y exterior.
- Cristal de seguridad estándar 3/0.5/3.
- Ventanas pintadas al horno con bisagras en acero inoxidable.



DOUBLE DOOR WITH SAFETY GLASS: powder coated, bamboo boards, one horizontal board, cross in door

● RAL 7016 ● Bamboo boards




ARCHED DOUBLE DOOR WITH SAFETY GLASS: powder coated, bamboo boards, one horizontal board

● RAL 6009 ● Bamboo boards



SINGLE DOOR WITH SAFETY GLASS: powder coated, bamboo boards, one horizontal board, cross in door

● Old Copper ● Oak boards



FULLY BOARDED SINGLE DOOR: powder coated, bamboo boards, one horizontal board, cross in door

● RAL 7016 ● Bamboo boards



FULLY BOARDED DOUBLE DOOR: powder coated, bamboo boards, two horizontal boards

● RAL 9005 ● Bamboo boards



DOUBLE DOOR WITH SAFETY GLASS: powder coated, bamboo boards, one horizontal board, turn&tilt window

● RAL 7021 ● Bamboo boards



DOUBLE DOOR WITH SAFETY GLASS

powder coated, bamboo boards, one horizontal board, cross in door, cross in window



FULLY BOARDED SLIDING DOOR

powder coated, oak boards




SLIDING DOOR WITH SAFETY GLASS

powder coated, bamboo boards, cross in window

Standard version

- galvanised
- width: 1200 mm
- height: 2300 mm
- boards type: plastic
- boards height: 1300 mm
- safety glass: 3/0,5/3 mm
- turn window

Plastic boards



Some additional options

- powder coated
- bamboo/OKAN/oak boards
- one or two horizontal boards
- cross in door
- tilt window
- cross in window

Natural boards



Arched barn doors

powder coated, bamboo boards, two horizontal boards, cross in door

● RAL 9005

● Bamboo boards



HINGED AND SLIDING DOORS

Barn doors

Een kroon op uw gebouw, het detail dat het gebouw doet stralen.

NL

- RVS sluitwerk.
- Standaard veiligheidsglas 3/0,5/3.
- Bij gecoate ramen RVS scharnieren.

Our doors will greatly enhance the external appearance of your building.

GB

- Stainless hinges and locks.
- Standard safety glass 3/0.5/3.
- Powder coated doors with stainless steel hinges.

Nuestras puertas aportarán una inmejorable apariencia externa de su edificio. De 2 o 4 piezas, correderas o batientes.

ES

- Cierres o acero inoxidable.
- Cristal de seguridad estándar 3/0.5/3.
- Ventanas pintadas al horno con bisagras en acero inoxidable.





Hinged doors

Standard version

- galvanised
- maximum width: 3650 mm
- maximum height: 3650 mm
- boards type: plastic
- safety glass: 3/0,5/3 mm

Plastic boards



Some additional options

- powder coated
- bamboo/OKAN/oak boards
- cross in door
- cross in window

Natural boards




BARN DOOR WITH SAFETY GLASS: galvanised, bamboo boards, cross in window




BARN DOOR WITH SAFETY GLASS: powder coated, bamboo boards, two horizontal boards



BARN DOOR WITH SAFETY GLASS: powder coated, bamboo boards, cross in door, cross in window




FULLY BOARDED BARN DOOR: powder coated, bamboo boards



ARCHED BARN DOOR WITH SAFETY GLASS: powder coated, bamboo boards, one horizontal board



ARCHED BARN DOOR WITH SAFETY GLASS: powder coated, oak boards, one horizontal board, cross in door





Sliding doors

Standard version

- galvanised
- maximum width: 4500 mm
- maximum height: 4250 mm
- boards type: plastic
- safety glass: 3/0,5/3 mm

Plastic boards



Some additional options

- powder coated
- bamboo/OKAN/oak boards
- cross in door
- cross in window

Natural boards



SLIDING BARN DOOR WITH SAFETY GLASS: powder coated, bamboo boards, cross in window

● RAL 7021 ● Bamboo boards



SLIDING BARN DOOR WITH SAFETY GLASS: powder coated, bamboo boards, cross in window, cross in door

● RAL 7016 ● Bamboo boards



SLIDING BARN DOOR WITH SAFETY GLASS: powder coated, bamboo boards, two horizontal boards, cross in window

● RAL 9005 ● Bamboo boards



SLIDING BARN DOOR WITH SAFETY GLASS: powder coated, bamboo boards, cross in door

● RAL 7021 ● Bamboo boards



SLIDING BARN DOOR WITH SAFETY GLASS: powder coated, bamboo boards, cross in window

● RAL 7021 ● Bamboo boards



FULLY BOARDED SLIDING BARN DOOR: powder coated, bamboo boards, cross in door

● RAL 7016 ● Bamboo boards

WE OFFER 3 AND 4 PANEL SOLARIUMS

Horse solariums

NL

Een zeer solide behuizing die door de open constructie de vochtdampeneenvoudig kan afvoeren, hierdoor kan er geen hinder ontstaan aan de infrarood werking. Frisse lucht wordt aan de achterzijde aangezogen en bij de lampen richting het paard geblazen, zodoende wordt de warmte goed verdeeld.

GB


A very solid construction. Due to the open construction of the solarium the moisture given off from the horse is dispersed, so that the efficient working of the infra-red lamps is maintained. Fresh air is sucked in at the rear, allowing an equal distribution of warmth around the horse.

ES

Una estructura sólida. Dada la apertura de su diseño, facilita que la humedad del caballo se disipe fácilmente y la función de las luces infra-rojas se mantenga. El aire fresco es succionado por la parte trasera, permitiendo una distribución equilibrada del calor alrededor del caballo.



We offer 3 and 4 panel solariums in attractive prices. Our solariums are characterized by a simple construction and easy attendance. They are equipped with fans which force the appropriate air circulation that prolong lamps' life and what is more, it makes the drying process much faster for the horse.



Solarium parameters

- number of heating lamps in one panel: 5
- lamps power: 150W-250W
- number of fans: 1 in each panel
- power: 2616 W (3-panels), 3088 W (4-panels)
- power voltage: 230V
- weight: 3-panels: 49 kg, 4-panels: 61 kg

WASH STALLS, TIE POSTS, TIE RINGS, SHOWER SETS...

Around the solarium



Accessories



① Wash stall



② Tie post



③ Tie ring



④ Horse feeder 1



⑤ Horse feeder 2




⑥ Hay rack



⑦ Veterinary 1



⑧ Veterinary 2



⑨ Shower set



⑩ Feed trolley




⑪ Drinking bowl



⑫ Protection brackets for drinking bowl



1



2



3

The Shimon hay bucket

THE PERFECT DEVICE THAT EXERCISES YOUR HORSES

Horse walkers and roofs

NL

Onze trainingsmolen is oerdegelijk, probleemloos en zeer concurrerend geprijsd. Standaard geleverd met gesloten tafel en sierlijk paardenhoofd op de toren. De motor zit onder de tafel en achter beschermkappen, dit voor extra veiligheid.

GB

Our horse walker is extremely solid, trouble free and competitively priced. Our standard model is supplied with an attractive horse's head to cap the centre post. The engine is mounted under the table, surrounded by protective covers, providing extra safety.

ES

Nuestro caminador es extremadamente robusto, sin ninguna complicación y a un precio muy competitivo. Nuestro modelo estándar se entrega con una atractiva decoración de cabeza de caballo en el poste central. El motor se ubica dentro de la caja, protegida por una cubierta adicional que proporciona una seguridad adicional. Opción: Sin cubierta, con cubierta parcial o total.



CLOSED ROOF (diameter 18 m/8 horses)
round fence, galvanised, plastic boards

Galvanised Plastic boards (brown)



CLOSED ROOF (diameter 18 m/8 horses)
round fence, galvanised, plastic boards

Galvanised Plastic boards (brown)



HORSE WALKER (diameter 16/4 horses)
straight fence, galvanised, plastic boards

Galvanised Plastic boards (brown)



HORSE WALKER (diameter 16/4 horses)
straight fence, galvanised, plastic boards

Galvanised Plastic boards (brown)



TRACK ROOF (diameter 18 m/8 horses)
round fence, galvanised, plastic boards

Galvanised Plastic boards (black)



TRACK ROOF (diameter 18 m/8 horses)
round fence, galvanised, plastic boards


Galvanised Plastic boards (black)



Horse Walker

Dimensions

- 12 m / 4 horses
- 15 m / 4 or 6 horses
- 16 m / 4 or 6 horses
- 18 m / 6 or 8 horses
- 20 m / 8 or 10 horses



Fence


Height

- 1260 mm
- 1360 mm
- 1550 mm
- 1580 mm
- 1650 mm
- 1800 mm

Plastic boards




Wooden boards



ROUND
FENCE

or



STRAIGHT
FENCE



Roof

Types of roof

- closed roof
- open roof (track roof)

Diameter

- 12 m
- 15 m
- 16 m
- 18 m
- 20 m



CONTACT

**SPRZEDAŻ W POLSCE****Mr. Dariusz Wajs**

ul.Grodziska 17 B
62-067 Rakoniewice
Tel.: +48 614441405
Mobile: +48 668823832
E-mail: dwajs@smulders.pl
www.smulders.pl

**REPRÉSENTANT FRANCE / SUISSE****M. Etienne Proust**

PROUST sarl
4 rue Salvador Allende
63200 Riom
Mobile: +33 677538878
E-mail: etienne@proust.fr
www.proust.fr

**REPRESENTATIVE UK****Mr. Tom Fillery**

Kimbers Cottage
Goodings Lane
Woodlands st Mary
Hungerford
Berks RG17 7BD
Mobile: +44 7949929256
E-mail: tomfillery@smulders.co.uk
www.smulders.co.uk

**REPRESENTATIVE IRELAND****Mr. Gary Duffy**

Rej Wholesale
Killinagh Lower
Carbury
Co. Kildare
Tel.: +353876608077
E-mail: garyduffy1@hotmail.com

**VERKOOP ADVISEUR
BENELUX / DUITSLAND****Dhr. Marco Brons**

Hulsenboschstraat 37
4251 LR Werkendam
Mobile: +31 651304171
E-mail: info@smulders.pl
www.smulderspaardenboxen.nl

**REPRESENTANTE ESPAÑA****Mr. Joan Humet**

Company EQUUS LIFE SL
Autopista AP7 salida 18 Ctra. B140
de Sabadell a Mollet km 5,15 – NAVE nº 5
Santa Perpétua de Mogoda Barcelona 08130
Tel.: +34 931123940
E-mail: info@equus-life.com
www.equus-life.com
www.smulders.es

**REPRESENTANTE PORTUGAL****Mrs. Celia Marques**

Celicerca-Vedações e Serviços Equestres Lda
Rua da Indústria
Zona Industrial Vilar dos Prazeres
2490-802 Ourém
Tel.: +351 249095284
Mobile: +351 916334347
E-mail: geral@celicerca.com
www.celicerca.com

**VERTRETER DEUTSCHLAND****Mr. Tomas Fischer**

Fischer Stalltechnik GmbH
Tel.: +49 251 92436940
fischer@fischer-stalltechnik.com
www.fischer-stalltechnik.com

**REPRESENTATIVE
AUSTRALIA / NEW ZEALAND****Mr. Charlie Hay**

Company KILLAHY EQUINE
PO Box 133 Marrickville NSW 1475
Tel.: +61 2 9138 0696
Mobile: +61 400522330
E-mail: charlie.hay@killahyequine.com.au
www.killahyequine.com.au

**REPRESENTATIVE USA****Mr. Bart Kenis**

Barnwalkers, LLC
1902 South Club Dr.
Wellington, FL 33414
Mobile: +1 561-568 2295
bart@barnwalkers.com
www.barnwalkers.com

**REPRESENTATIVT SVERIGE****Mr. Hans Tuvehjelm**

Company City-Boxen International AB
Televägen 2, 291 62 Kristianstad
Tel.: +46 44204440
Mobile: +46 706298930
E-mail: hans@city-boxen.se
www.city-boxen.se

**REPRESENTATIVT SVERIGE****Mr. Robert de Rover**

Robert de Rover Ridsport AB
Hönsholma 126
284 91 Perstorp
Mobile: +46 730890459
E-mail: info@robertderover.com
www.robertderover.se

**נציג בישראל****מר שלי שדות**

חברת שליווד בע"מ
גן יאשיה 3885000
נייד: 050-5944781
shaliwood68@gmail.com

**ممثل الامارات العربية المتحدة****Al Saheel General TR**

Maysaloun
Sharjah
23109 Sharjah
TRN:100297458000003
Mobile: +971 55 668 3424
Mobile: +971 56 588 8990
alsaaheel@alsaaheel.co

**RAPPRESENTANTE ITALIA****Mrs. Maria Pia De Caro Fioravanti**

via Palermo 52-00055 Ladispoli (Rome) IT
Tel.: +39 069946948
Mobile: +39 3386381455
E-mail: mariapiadecaro@gmail.com

**RAPPRESENTANT MALTA****Mr. Karl Debono**

Company: Debono Trading
Tel.: +35 699451568
krl.debono@gmail.com

**REPRESENTATIVE GREECE****Mr. Dimitris Koukoulis**

MR.Dimitris Koukoulis
Company: EQUILAND SPORTS
Elyth 4 Nea Redestos
Thessaloniki 57001
Mobile: +30 6944595981
E-mail: equiland@yahoo.gr